

Publication list

Refereed papers

1. 寺崎英紀、柴崎裕樹、高温高压下におけるFeSiおよびFeS合金の水素化、高压力の科学と技術、印刷中, 2011.
2. Sakai, T., E. Ohtani, H. Terasaki, S. Kamada, N. Hirao, Y. Ohishi, N. Sata, Phase stability and compression study of $(\text{Fe}_{0.89}, \text{Ni}_{0.11})_3\text{S}$ up to pressure of the Earth's core, *American Mineralogist*, in press, 2011.
3. Terasaki, H., S. Kamada, T. Sakai, E. Ohtani, N. Hirao, N. Sata, Y. Ohishi, Liquidus and solidus temperatures of a Fe-O-S alloy up to the pressures of the outer core: Implication for the thermal structure of the Earth's core, *Earth and Planetary Science Letters*, **304**, 559-564, 2011.
4. Sakamaki, T., E. Ohtani, S. Urakawa, H. Terasaki, Y. Katayama, Density of carbonated peridotite magma at high pressure using an X-ray absorption method, *American Mineralogist*, **96**, 553-557, 2011.
5. Nishida, K., E. Ohtani, S. Urakawa, A. Suzuki, T. Sakamaki, H. Terasaki, Y. Katayama, Density measurement of liquid FeS at high pressures using synchrotron X-ray absorption, *American Mineralogist*, **96**, 864-868, 2011.
6. Shibazaki, Y., E. Ohtani, H. Terasaki, R. Tateyama, T. Sakamaki, K. Funakoshi, Effect of hydrogen on melting temperature of FeS at high pressure: Implications for core of Ganymede, *Earth and Planetary Science Letters*, **301**, 153-158, 2011.
7. Terasaki, H., Y. Shibazaki, T. Sakamaki, R. Tateyama, E. Ohtani, K. Funakoshi, Y. Higo, Hydrogenation of FeSi under high pressure, *American Mineralogist*, **96**, 93-99, 2011.
8. Shatskiy, A., K.D. Litasov, H. Terasaki, T. Katsura, E. Ohtani, Performance of semi-sintered ceramics as pressure-transmitting media up to 30 GPa, *High Pressure Research*, **30**, 443-450, 2010.
9. Nishihara, Y., K. Funakoshi, Y. Higo, N. Tsujino, T. Kawazoe, T. Kubo, A. Shimojuku, H. Terasaki, N. Nishiyama, Stress relaxation experiments of olivine under Earth's deep upper mantle conditions, *Physics of Earth and Planetary Interior*, **183**, 164-174, 2010.
10. Suzuki, A., E. Ohtani, H. Terasaki, K. Nishida, H. Hayashi, T. Sakamaki, Y. Shibazaki, K. Funakoshi, T. Kikegawa, Pressure and temperature dependence of the viscosity of a $\text{NaAlSi}_2\text{O}_6$ melt, *Physics and Chemistry of Minerals*, doi 10.1007/s00269-010-0381-4, 2010.
11. Ju J., K. Huynh, J. Tang, Z.F., Li, M. Watahiki, K. Sato, H. Terasaki, E. Ohtani, H. Takizawa, K. Tanigaki, Superconducting properties of SmFeAsO_{1-x} prepared under

- high-pressure condition. *Journal of Physics and Chemistry of Solids*, **71**, 4, 491-494, 2010.
12. Kamada, S., H. Terasaki, E. Ohtani, T. Sakai, H. Asanuma, T. Kikegawa, Y. Ohishi, N. Hirao, N. Sata, Phase relationships of the Fe-FeS system in conditions up to the core, *Earth and Planetary Science Letters*, **294**, 94-100, 2010.
 13. Terasaki, H., K. Nishida, Y. Shibazaki, T. Sakamaki, A. Suzuki, E. Ohtani, T. Kikegawa, Density measurement of Fe₃C liquid using X-ray absorption image up to 10 GPa and effect of light elements on compressibility of liquid iron, *Journal of Geophysical Research*, **115**, B06207, doi:10.1029/2009JB006905, 2010.
 14. Sakai, T. E. Ohtani, H. Terasaki, M. Miyahara, M. Nishijima, N. Hirao, Y. Ohishi, N. Sata, Fe-Mg partitioning between post-perovskite and ferropericlasite in the lowermost mantle, *Physics and Chemistry of Minerals*, **37**, 487-496, 2010.
 15. Urakawa, S., H. Terasaki, K. Funakoshi, K. Uesugi, S. Yamamoto, Development of high pressure apparatus for X-ray microtomography at SPring-8, *Journal of Physics: Conference Series*, **215**, 012026, 2010.
 16. Asanuma, H., E. Ohtani, T. Sakai, H. Terasaki, S. Kamada, T. Kondo, T. Kikegawa, Melting of iron-silicon alloy up to the core-mantle boundary pressure: Implications to the thermal structure of the Earth's core, *Physics and Chemistry of Minerals*, **37**, 353-359, 2010.
 17. Sakai, T., E. Ohtani, H. Terasaki, N. Sawada, Y. Kobayashi, M. Miyahara, M. Nishijima, N. Hirao, Y. Ohishi, T. Kikegawa, Fe-Mg partitioning between perovskite and ferropericlasite in the lower mantle, *American Mineralogist*, **94**, 921-925, 2009.
 18. Shibazaki, Y., E. Ohtani, H. Terasaki, A. Suzuki, K. Funakoshi, A fate of Martian ocean: Hydrogen partitioning between Iron and Ringwoodite, *Earth and Planetary Science Letters*, **287**, 463-470, 2009.
 19. Nishihara, Y., K. Funakoshi, Y. Higo, H. Terasaki, N. Nishiyama, T. Kubo, A. Shimojuku, N. Tsujino, Stress measurement under high pressure using Kawai-type multi-anvil apparatus combined with synchrotron radiation, *Journal of Synchrotron Radiation*, **16**, 757-761, 2009.
 20. Hayashi, H., E. Ohtani, H. Terasaki, Y. Ito, The partitioning of Pt-Re-Os and liquid metal in the Fe-Ni-S system at high pressure: implications for the inner core fractionation, *Geochimica Cosmochimica et Acta*, **73**, 4836-4842, 2009.
 21. Terasaki, H., Physical properties of liquid iron-alloy under high pressure: Implications to planetary core, *The review of high pressure science and technology*, Vol. **19**, No. 2, 156-162, 2009.
 22. Terasaki, H., Percolative core formation model in planet interiors, *Japanese Magazine of Mineralogical and Petrological Sciences*, **38**, 9-12, 2009.

23. Sakai, T., E. Ohtani, H. Terasaki, N. Sawada, Y. Kobayashi, M. Miyahara, N. Hirao, Y. Ohishi, T. Kikegawa, Fe-Mg partitioning between perovskite and ferropericlasite at the lower mantle, *American Mineralogist*, **94**, 921-925, 2009.
24. Terasaki, H., S. Urakawa, K. Funakoshi, N. Nishiyama, Y. Wang, K. Nishida, T. Sakamaki, A. Suzuki, E. Ohtani, In situ measurement of interfacial tension of Fe-S and Fe-P liquids under high pressure using X-ray radiography and tomography techniques, *Physics of Earth and Planetary Interiors*, **174**, 220-226, 2009.
25. Ghosh, S., E. Ohtani, K. Litasov, H. Terasaki, Solidus of Carbonated Peridotite and petrogenesis of Magnesio-carbonatite in the Earth's Upper Mantle and Transition Zone, *Chemical Geology*, **262**, 17-28, 2009.
26. Terasaki, H., D.J. Frost, D.C. Rubie, F. Langenhorst, Percolative core formation in planetesimals, *Earth and Planetary Science Letters*, **273**, 132-137, 2008.
27. Terasaki, H., S. Urakawa, K. Funakoshi, Y. Wang, Y. Shibazaki, T. Sanehira, Y. Ueda, E. Ohtani, Interfacial Tension Measurement of Ni-S Liquid Using High Pressure X-ray Micro-Tomography, *High Pressure Research*, **28**, 327-334, 2008.
28. Asanuma, H., E. Ohtani, T. Sakai, H. Terasaki, S. Kamada, N. Hirao, N. Sata, Y. Ohishi, Phase relations of Fe-Si alloy up to core conditions: Implications for the Earth inner core, *Geophysical Research Letters*, **35**, doi:10.1029/2008GL033863, 2008.
29. Nishida, K., H. Terasaki, E. Ohtani, A. Suzuki, The effect of sulphur content on density of the liquid Fe-S at high pressure, *Physics and Chemistry of Minerals*, **35**, 417-423, 2008.
30. Terasaki, H., S. Urakawa, K. Funakoshi, Plastic gasket (Toroidal high pressure apparatus), KEK proceedings, **7**, 48-51, 2007. (In Japanese)
31. Suzuki, A., K. Nishida, T. Sakamaki, H. Terasaki, E. Ohtani, Imaging experiment under high pressure and high temperature, KEK proceedings, **7**, 61-64, 2007. (In Japanese)
32. Tsuno, K., H. Terasaki, E. Ohtani, A. Suzuki, Y. Asahara, K. Nishida, T. Sakamaki, K. Funakoshi, T. Kikegawa, In-situ observation and determination of liquid immiscibility in the Fe-O-S melt at 3 GPa using a synchrotron X-ray radiographic technique, *Geophysical Research Letters*, **34**, 10.1029/2007GL030750, 2007.
33. Allwardt, J.R., J.F. Stebbins, H. Terasaki, L-S. Du, D.J. Frost, A.C. Withers, M.M. Hirshmann, A. Suzuki, E. Ohtani, Effect of structural transitions on macroscopic properties of high-pressure silicate melts: ²⁷Al MAS NMR and density measurements of glasses and falling sphere melt viscosity measurements, *American Mineralogist*, **92**, 1093-1104, 2007.
34. Terasaki, H., D.J. Frost, D.C. Rubie, F. Langenhorst, Interconnectivity of Fe-O-S liquid in polycrystalline silicate perovskite at lower mantle conditions, *Physics of Earth and Planetary Interiors*, **161**, 170-176, 2007.
35. Tsuno, K., E. Ohtani, H. Terasaki, Immiscible two-liquid regions in the Fe-O-S system at high

- pressure: implications for planetary cores, *Physics of the Earth and Planetary Interiors*, **160**, 75-85, 2007.
36. Terasaki, H., A. Suzuki, E. Ohtani, K. Nishida, T. Sakamaki, K. Funakoshi, Effect of pressure on the viscosity of Fe-S and Fe-C liquids up to 16 GPa, *Geophysical Research Letters*, **33**, 10.1029/2006GL027147, 2006.
 37. Sakai, T., T. Kondo, E. Ohtani, H. Terasaki, N. Endo, T. Kuba, T. Suzuki, T. Kikegawa, Interaction between Iron and Post-pervskite at core-mantle boundary and core signature in plume source region, *Geophysical Research Letters*, **33**, 10.1029/2006GL026868.
 38. Poe, B.T., C. Romano, C. Liebske, D.C. Rubie, H. Terasaki, A. Suzuki, K. Funakoshi, High-temperature viscosity measurements of hydrous albite liquid using in-situ falling-sphere viscometry at 2.5 GPa, *Chemical Geology*, **229**, 2-9, 2006.
 39. Liebske, C., B. Schmickler, H. Terasaki, A. Suzuki, K. Funakoshi, R. Ando, B.T. Poe, D.C. Rubie, Viscosity of peridotite liquid up to 13 GPa: Implications for magma ocean viscosities, *Earth and Planetary Science Letters*, **240**, 589-604, 2005.
 40. Terasaki, H., D.J. Frost, D.C. Rubie, F. Langenhorst, The effect of oxygen and sulphur on the dihedral angle between Fe-O-S melt and silicate minerals at high pressure: Implications for Martian core formation, *Earth and Planetary Science Letters*, **232**, 379-392, 2005.
 41. Tsuno, K, Ohtani, E., Terasaki, H., Liquid immiscibility of Fe-FeO and Fe-FeO-FeS system at high pressure and implication for the terrestrial planets. Proceedings of Joint 20th AIRAPT-43rd EHPRG, 124-128, 2005.
 42. Suzuki, A., E. Ohtani, H. Terasaki, K. Funakoshi, Viscosity of silicate melts in CaMgSi₂O₆-NaAlSi₃O₆ system at high pressure, *Physics and Chemistry of Minerals*, **32**, 2, 140-145, 2005.
 43. Terasaki, H., T. Kato, K. Funakoshi, A. Suzuki, and S. Urakawa, Viscosity of liquid sulphur under high pressure, *Journal of Physics: Condensed Matter*, **16**, 1707-1714, 2004.
 44. Urakawa, S., K. Someya, H. Terasaki, T. Katsura, S. Yokoshi, K. Funakoshi, W. Utsumi, Y. Katayama, Y. Sueda, T. Irifune, Phase relations and equations of state for FeS at high pressures and high temperatures and implications to the internal structure of Mars, *Physics of the Earth and Planetary interior*, **143-144**, 469-479, 2004.
 45. Reid, J.E., A. Suzuki, K. Funakoshi, H. Terasaki, B.T. Poe, and D.C. Rubie, The viscosity of diopside (CaMgSi₂O₆) liquid at pressures up to 13 GPa, *Physics of the Earth and Planetary interior*, **139**, 45-54, 2003.
 46. Funakoshi, K., A. Suzuki, and H. Terasaki, In situ viscosity measurements of albite melt under high pressure, *J. Phys.:Condes. Matter.*, **14**, 11343-11347, 2002.
 47. Terasaki, H., T. Kato, S. Urakawa, K. Funakoshi, K. Sato, A. Suzuki, and T. Okada, Viscosity change and structural transition of Molten Fe at 5 GPa, *Geophysical Research Letters*, **29**, 8,

- 10.1029/2001GL014321, 2002
48. Urakawa, S., H. Terasaki, Physical properties of liquid iron-alloy under high pressure, The review of high pressure science and technology, **12**, 138-144, 2002.
 49. Suzuki, A., E. Ohtani, K. Funakoshi, H. Terasaki, and T. Kubo, Viscosity of albite melt at high pressure and high temperature, *Physics and Chemistry of Minerals*, **29**, 159-165, 2002.
 50. Terasaki, H., T. Kato, S. Urakawa, K. Funakoshi, A. Suzuki, T. Okada, M. Maeda, J. Sato, T. Kubo, and S. Kasai, The effect of temperature, pressure, and sulfur content on viscosity of the Fe-FeS melt, *Earth and Planetary Science Letters*, **190**, 91-102, 2001.
 51. Urakawa, S., H. Terasaki, K. Funakoshi, T. Kato, and A. Suzuki, Radiographic study on the viscosity of the Fe-FeS melts at the pressure of 5 to 7 GPa, *American Mineralogist*, **86**, 578-582, 2001.
 52. Funakoshi, K., W. Utsumi, O. Ohtaka, T. Irifune, T. Inoue, E. Ito, T. Katsura, A. Kubo, K. Hirose, J. Ando, A. Suzuki, T. Kubo, and H. Terasaki, High-pressure and high-temperature experiments using multi-anvil apparatus -Recent results-, *Japanese Magazine of Mineralogical and Petrological Sciences*, vol. **30**, 102-103, 2001.
 53. Funakoshi, K., M. Kanzaki, A. Yasuda, A. Suzuki, H. Terasaki, and S. Yamashita, Viscosity measurement of albite melt under high-pressures using an in situ X-ray radiography technique, *Science and Technology of High Pressure*, **2**, 1023-1026, 2001.
 54. T. Kato, H. Terasaki, T. Kubo, Transport properties of Earth material –New insights on science of the Earth’s interior- *Geological Journal*, **109** (6), 868-873, 2000. (In Japanese with English abstract)
 55. Suzuki, A., E. Ohtani, H. Morishima, T. Kubo, Y. Kanbe, T. Kondo, T. Okada, H. Terasaki, T. Kato, and T. Kikegawa, In situ determination of the phase boundary between wadsleyite and ringwoodite in Mg₂SiO₄, *Geophysical Research Letters*, **27**, 803-806, 2000.

Non-refereed papers

1. Ohtani, E., Tateyama, R., Nishida, K., Terasaki, H., Urakawa, S., Nakatsuka, A., Katayama, Y., Density measurement of Fe-S and Fe-Si liquids and precise determination of their bulk moduli using X-ray absorption method, SPring-8 User Experimental Report, 2010A.
2. Terasaki, H., Shibazaki, Y., Sakamaki, T., Tateyama, R., Ohtani, E., Funakoshi, K., Higo, Y., Hydrogen dissolution to Fe-C alloy under high pressure and temperature: Investigation of hydrogen incorporation mechanism to iron-light element alloys, SPring-8 User Experimental Report, 2009B.
3. Urakawa, S., Terasaki, H., Funakoshi, K., Uesugi, K., Establishment of X-ray tomography under high pressure and high temperature, SPring-8 User Experimental Report, 2009B.
4. Terasaki, H., Kamada, S., Sakai, T., Ohtani, E., Hirao, N., Sata, N., Ohishi, Y., Investigation of melting relation of Fe-O-S alloy up to the outer core condition, SPring-8 User Experimental Report, 2009A.
5. Ohtani, E., S., Sakai, T., Terasaki, H., Kamada, S., Murakami, M., Hirao, N., Sata, N., Ohishi, Y., Study of high pressure phases of FeNiSi-alloy under the core conditions, and crystal structure of the inner core, SPring-8 User Experimental Report, 2009A.
6. Terasaki, H., Shibazaki, Y., Sakamaki, T., Tateyama, R., Ohtani, E., Funakoshi, K., Higo, Y., Investigation of hydrogen solubility into Fe-S and Fe-Si alloys up to 23 GPa: Critical restriction of light elements in the Earth's core, SPring-8 User Experimental Report, 2009A.
7. 寺崎英紀, 浸透による惑星中心核形成モデル, 岩石鉱物科学, 受賞記念解説, **38**, 9-12, 2009
8. Terasaki H., Ohtani E., Sakai T., Kamada S., Shibazaki Y., Asanuma H., Hirao N., Ohishi Y., Sata N., Sakamaki T., Suzuki A., Funakoshi K., Hydrogen incorporation to the Earth's core. *Geochimica et Cosmochimica Acta*, 73, 13, A1321-A1321, 2009.
9. Ohtani E., Asanuma H., Sakai T., Terasaki, H., Hirao N., Phase relations and compression of FeSi and FeNiSi alloys: Implications for silicon content of the core. *Geochimica et Cosmochimica Acta*, 73, 13, A967-A967, 2009.
10. Urakawa, S., Terasaki, H., Funakoshi, K., Uesugi, K., X-ray tomography experiment at high-pressure and high-temperature: performance evaluation study of a new high pressure apparatus, SPring-8 User Experimental Report, 2008B.
11. Terasaki, H., Shibazaki Y., Ohtani E., Suzuki, A., Sakamaki T., Ghosh S., Nishida K., Funakoshi K., In situ X-ray diffraction study of Hydrogen partitioning between iron and mantle minerals under high pressure and temperature; Implications to Hydrogen behavior at the Martian core-mantle boundary, SPring-8 User Experimental Report, 2008A.
12. Sakai, T., Kamada, S., Terasaki, H., Ohtani, E., Asanuma, H., Hirao, N., Phase relation of

- Fe-Ni-S ternary system at the core pressure and temperature, SPring-8 User Experimental Report, 2008A.
13. Ohtani, E., Asanuma, H., Terasaki, H., Sakai, T., Kamada, S., Sawada, N., Kondo, T., Hirao, N., Study of high pressure phases of iron-nickel-silicon alloy at multi-megabar pressure and high temperature, SPring-8 User Experimental Report, 2008A.
 14. Tsuno, K., H. Terasaki, E. Ohtani, In situ observation of liquid immiscibility in Fe-O-S system at high pressures and temperatures, SPring-8 Research Frontiers 2007, 3-4, 2008
 15. Asahara, Y., D.J. Frost, D.C. Rubie, A. Saikia, H. Terasaki, E. Ohtani, K. Funakoshi, T. Matsuzaki, Preliminary in situ determination of the solvus in the Fe-FeO system at 2-5 GPa up to 2800 K, Annual report 2007 of Bayerisches Geoinstitut, Universitaet Bayreuth, 132-133, 2008.
 16. Terasaki, H., Ohtani E., Shibazaki Y., Sakamaki T., Ozawa S., Ghosh S., Litasov K., Funakoshi K., Effect of pressure on interfacial energy of liquid Fe-S using sessile drop technique, SPring-8 User Experimental Report, 2007B.
 17. Terasaki, H., Kamada S., Ohtani E., Sakai T., Asanuma H., Sano A., Hirao N., Investigation of liquidus phase and melting temperature of Fe-FeS alloy up to outer core pressure, SPring-8 User Experimental Report, 2007B.
 18. Terasaki, H., E. Ohtani, T. Sakai, D.C. Rubie, D.J. Frost, F. Langenhorst, Possibility of percolative core formation in planet interiors, Proceedings of workshop on planetary science, 2008.
 19. Litasov, K., Ohtani, E., Ghosh, S., Terasaki, H., Suzuki, A., Influence of water on phase transitions in forsterite and olivine compositions with implication to seismic discontinuities in the Earth's mantle. Spring-8 User Experimental Report, 2007A1701, 2007.
 20. Ohtani E., Sano A., Terasaki H., Sakai T., Hirao N., Asanuma H., Search for post delta-AIOOH at multi-megabar conditions. Spring-8 User Experimental Report, 2007A.
 21. Ohtani E., Ghosh S., Suzuki A., Litasov K. Terasaki H., Ozawa S., Determination of the phase boundary and the reaction kinetics of the post-spinel phase transition in the MgO-SiO₂-H₂O system. Spring-8 User Experimental Report, 2007A.
 22. Ohtani E., Asanuma H., Sakai T., Terasaki H., Kondo T., Hirao N., Equation of state and phase relation of FeNiSi alloy to megabar pressure. Spring-8 User Experimental Report, 2007A.
 23. Terasaki H., Ohtani E., Sakai T., Kamada S., Asanuma H., Sano A., Hirao N., Chemical reaction between Fe-Ni alloy and delta-AIOOH at conditions of megabar pressure: Hydrogen partitioning at the core-mantle boundary, Spring-8 User Experimental Report, 2007A.
 24. Terasaki H., Ohtani E., Suzuki A., Tsuno K., Asahara Y., Sakamaki T., Ozawa S., Shibazaki Y., Ghosh S., Litasov K., Nishida K., Funakoshi K., In situ observation of liquid immiscibility of Fe-O-S liquid using X-ray radiography under high pressure, Spring-8 User Experimental Report,

- 2007A.
25. Litasov, K., Ohtani, E., Terasaki, H. and Suzuki, A., Post-stishovite phase transformation in hydrous oceanic crust and seismic reflectors in the lower mantle. SPring-8 User Experiment Report No.18 (2006B), 2006B1230, 2007.
 26. Ohtani E., Kondo T., Terasaki H., Sano A., Hirao N., Reaction between metallic iron and δ -AlOOH at the core –mantle boundary. Spring-8 User Experimental Report, 2006B.
 27. Asahara Y., Frost D.J., Rubie D.C., Terasaki H., Tsuno K., Nishida K., Saikia A., Ohtani E., In-situ determination of solvus in the Fe-FeO system at high temperatures and high pressures. Spring-8 User Experimental Report, 2006B.
 28. Terasaki H., Ohtani E., Suzuki A., Tsuno K., Sakamaki T., Nishida K., Asanuma H., Litasov K., Secco R., Yu X., In situ measurement of interfacial energy of liquid Fe-S using sessile drop method under high pressure. Spring-8 User Experimental Report, 2006A.
 29. Litasov K., Ohtani E., Suzuki A., Terasaki H., Influence of water on phase transition in olivine and peridotite compositions with implication to 410- and 520-km discontinuity in the transition zone. Spring-8 User Experimental Report, 2006A.
 30. Suzuki A., Ohtani E., Terasaki H., Sakamaki T., Nishida K., Radiography method for the density measurement of basaltic magma at high pressure and high temperature. Spring-8 User Experimental Report, 2006A.
 31. Secco R., Ohtani E., Litasov K., Suzuki A., Terasaki H., Kawazoe T., Nishida K., Sakamaki T., Viscosity of Liquid Fe-Si Alloys at High Pressures and Temperatures. Spring-8 User Experimental Report, 2005B.
 32. Ohtani E., Terasaki H., Suzuki A., Tsuno K., Nishida K., Sakamaki T., Yu X., Secco R., Viscosity measurement of molten Fe-S-O alloy above 20 GPa. Spring-8 User Experimental Report, 2006A.
 33. Ohtani E., Kawazoe T., Suzuki A., Terasaki H., Konstantin L., Nishida K., In situ determination of phase and melting relations of Fe-FeS-FeO system at high pressure and temperature and applications to the Martian core. Spring-8 User Experimental Report, 2005B.
 34. Terasaki H., Suzuki A., Ohtani E., Nishida K., Sakamaki T., Viscosity measurement of molten Fe-alloy above 20 GPa. Spring-8 User Experimental Report, 2005B.
 35. Suzuki, A., Ohtani, E., Terasaki, H., Sakamaki, T. and Nishida, K., Viscosity and structure of silicate melt in NaAlSi₂O₆-H₂O system at high pressure and high temperature. SPring-8 User Experiment Report, 15(2005A), 46, 2005.
 36. Litasov, K., Ohtani, E., Suzuki, A., Terasaki, H., Sano, A., Kawazoe, T. and Ghosh, S., In situ X-ray determination of the decomposition boundary of super hydrous phase B and phase D in natural peridotite. SPring-8 User Experiment Report, 15(2005A), 45, 2005.
 37. Ohtani, E., Kawazoe, T., Sano, A., Terasaki, H., Litasov, K., Suzuki, A., Tange, Y. and

- Funakoshi, K., In situ X-ray observation of melting relations in iron-light element systems at high pressure and temperature. SPring-8 User Experiment Report, 15(2005A), 44, 2005.
38. Sano, A., Ohtani, E., Suzuki, A., Terasaki, H., Kawazoe, T., Ando, R. and Allwardt, J., Post-garnet transformation in hydrous MORB system. SPring-8 User Experiment Report, 14(2004B), 45, 2005.
 39. Terasaki, H., Suzuki, A., Ohtani, E., Nishida, K., Shindo, S., Sakamaki, T., Litasov, K., Ghosh, S. and Sano, A., Viscosity measurement of liquid Fe-S at 20 GPa using cBN anvils. SPring-8 User Experiment Report, 15(2005A), 45, 2005.
 40. Terasaki, H., Ohtani, E., Suzuki, A., Ando, R., Allwardt, J., Tsuno, K., Sano, A., Funakoshi, K. and Nozawa, A., Viscosity measurement of liquid FeS up to 18 GPa. SPring-8 User Experiment Report, 14(2004B), 46, 2005.
 41. Terasaki, H., Rubie D.C., Mann, U., Frost, D.J., Langenhorst, F., The effects of oxygen, sulphur and silicon on the dihedral angles between Fe-rich liquid metal and olivine, ringwoodite and silicate perovskite: Implications for planetary core formation, Lunar Planetary Science Conference XXXVI, 1129, 2005.
 42. Liebske, C., Schmickler, B., Terasaki, H., Rubie, D.C., Suzuki, A., Ando, R., Funakoshi, K., Poe, B.T., Viscosity of peridotite liquid at high pressure. Annual report 2004 of Bayerisches Geoinstitut, Universitaet Bayreuth, 125-127, 2004.
 43. Terasaki, H., Rubie, D.C., Frost, D.J., Langenhorst, F., Interconnectivity of liquid Fe-alloy in silicate perovskite at lower mantle conditions. Annual report 2004 of Bayerisches Geoinstitut, Universitaet Bayreuth, 79-81, 2004.
 44. Sano, A., Ohtani, E., Suzuki, A., Terasaki, H., Kawazoe, T., Ando, R., Allwardt, J., Post-garnet transformation in hydrous MORB system. SPring-8 User Experiment Report No.14 (2004B), 45, 2004.
 45. Terasaki, H., Ohtani, E., Suzuki, A., Ando, R., Allwardt, J., Tsuno, K., Sano, A., Funakoshi, K., Nozawa, A., Viscosity measurement of liquid FeS up to 18 GPa. SPring-8 User Experiment Report No.14 (2004B), 46, 2004.
 46. Suzuki, A., Ohtani, E., Kato, S., Ando, R. and Terasaki, H., Viscosity of hydrous komatiite magma at high pressure and high temperature. SPring-8 User Experiment Report No.13 (2004A), 44, 2004.
 47. Schmickler, B., Liebske, C., Terasaki, H., Rubie, D.C., Determination of peridotite liquid viscosity as an example of a low viscosity melt using a newly developed capsule design, SPring-8 User Experiment Report No.12 (2003B), 36, 2004.
 48. Suzuki, A., Ohtani, E., Ando, R., Kato, S., Terasaki, H., Liebske, C., Schmickler, B., Rubie, D., Viscosity of komatiite magma at high pressure and high temperature. SPring-8 User Experiment Report No.12 (2003B), 42, 2004.

49. Liebske, C., Schmickler, B., Terasaki, H., Suzuki, A., Funakoshi, K., Ando, R., Poe, B. T. and Rubie, D. C., Viscosity of pyrolite liquid at high pressure. *Lithos*, 73 (1-2) Suppl., S70, 2004.
50. Terasaki, H., Rubie, D.C., Frost, D.J., Langenhorst, F., The effect of oxygen content on the dihedral angle between Fe-S liquid and perovskite at lower mantle conditions. *Lithos*, 73 (1-2) Suppl., S109, 2004.
51. Terasaki, H., D.C. Rubie, D.J. Frost, and F. Langenhorst, The effect of light elements on the dihedral angle between Fe-alloy melt and silicate grains at high pressure, *Annual report 2003, Bayerisches Geoinstitut, Universität Bayreuth*, 2003.
52. Terasaki, H. and C. Liebske, Viscosity of melts under high pressure, Brochure for Academy commission, 2003.
53. Terasaki, H., C. Liebske, K. Funakoshi, A. Suzuki, R. Ando, T. Nemoto, and S. Urakawa, In-situ viscosity measurement of molten Fe-C and Fe-Si under pressure using high-speed X-ray CCD camera, Proposal No. 2003A0056-ND2-np, *SPring-8 User Experiment Report No.11 (2003A)*, 45, 2003.
54. Terasaki, H., New Face, *Planetary People*, vol.12, No.1, 56-57, 2003.
55. Schmickler, B., C. Liebske, H. Terasaki, A. Suzuki, B.T. Poe, D.C. Rubie, and R. Ando, Viscosity of peridotite liquids at high pressure, Proposal No. 2002B0087-ND2-np, *SPring-8 User Experiment Report No.10 (2002B)*, 38, 2003.
56. Schmickler, B., D.C. Rubie, C. Liebske, A. Suzuki, H. Terasaki, and B.T. Poe, The determination of peridotite liquid transport properties at high pressure, *Annual report 2002, Bayerisches Geoinstitut, Universität Bayreuth* pp121-122, 2003.
57. Terasaki, H., D.C. Rubie, and D.J. Frost, The effect of time and melt fraction on connectivity of liquid Fe-S alloy in olivine under high pressure, *Annual report 2002, Bayerisches Geoinstitut, Universität Bayreuth* pp132-133, 2003.
58. Suzuki, A., E. Ohtani, S. Urakawa, H. Terasaki and T. Kato, Viscosity of komatiite magma at high pressure, *Annual report 2001, Bayerisches Geoinstitut, Universität Bayreuth* pp105-106, 2002.
59. Reid, J.E., A. Suzuki, B.T. Poe, D.C. Rubie, K. Funakoshi, and H. Terasaki, The viscosity of diopside ($\text{CaMgSi}_2\text{O}_6$) liquid at pressures up to 13 GPa, *Annual report 2001, Bayerisches Geoinstitut, Universität Bayreuth* pp103-104, 2002.
60. Terasaki, H., T. Kato, K. Funakoshi, D. Yamazaki, M. Hasegawa, Investigation of Fe melt structure by viscometry, Proposal No. 2001B0601-ND-np, *SPring-8 User Experiment Report No.8 (2001B)*, 46, 2001.
61. Urakawa, S., H. Terasaki, K. Someya, S. Yokoshi, Y.Sueda, T. Irifune, T. Inoue, K. Funakoshi, W. Utsumi, T. Katsura, Phase relationships and equation of state for FeS, Proposal No. 2001B0323-ND-np, *SPring-8 User Experiment Report No.8 (2001B)*, 42, 2001.

62. Terasaki, H., T. Kato, S. Urakawa, K. Funakoshi, A. Suzuki, K. Sato, M. Hasegawa, Effect of light elements on viscosity of liquid iron-alloy, *Proceeding of High pressure meeting*, Misasa, 10/2001.
63. Funakoshi, K., Y. Okajima, A. Suzuki, and H. Terasaki, In situ viscosity measurements of silicate melt under high-pressures and temperatures, Proposal No. 2001A0392-ND-np, *SPring-8 User Experiment Report No.7* (2001A), 55, 2001.
64. Suzuki, A., E. Ohtani, S. Urakawa, K. Funakoshi, H. Terasaki, T. Kato, and J. E. Reid, Viscosity of melt in the model basaltic system at high pressure, Proposal No. 2001A0256-ND-np, *SPring-8 User Experiment Report No.7* (2001A), 49, 2001.
65. Terasaki, H., T. Kato, S. Urakawa, K. Funakoshi, A. Suzuki, K. Sato, T. Okada, M. Hasegawa, A. Shimojuku, S. Yokoshi, K. Someya, and J. E. Reid, In situ viscosity measurement of molten Fe up to 10 GPa, Proposal No. 2001A0250-ND-np, *SPring-8 User Experiment Report No. 7* (2001A), 49, 2001.
66. Urakawa, S., A. Suzuki, H. Terasaki, M. Hasegawa, S. Yokoshi, K. Funakoshi, and W. Utsumi, X-ray diffraction of Fe melts at high pressure, Proposal No. 2001A0043-CD-np, *SPring-8 User Experiment Report No.7* (2001A), 45, 2001.
67. Terasaki, H., T. Kato, S. Urakawa, K. Funakoshi, A. Suzuki, K. Sato, T. Okada, M. Maeda, and M. Hasegawa In situ viscosity measurement of Fe-C melt under high temperature and pressure using two-step falling sphere method, Proposal No. 2000B0404-ND-np, *SPring-8 User Experiment Report No.6* (2000B), 43, 2001.
68. Terasaki, H. and T. Kato, Viscosity of Fe-C melt under high pressures, *Proceeding of The NIRIM international symposium on advanced materials*, 3/2001.
69. Suzuki, A., M. Maeda, E. Ohtani, H. Terasaki, and M. Ito, Measurement of viscosity coefficient of lunar basaltic magma at high pressure, Proposal No. 2000B0223-ND-np *SPring-8 User Experiment Report No.6* (2000B), 40, 2001.
70. Terasaki, H., T. Kato, K. Funakoshi, A. Suzuki, T. Okada, J. Reid, B. Poe, T. Kubo, M. Maeda, J. Sato, S. Kasai, and S. Urakawa, In-situ viscosity measurement of melt in the system of Fe-FeS-FeC at high temperatures and pressures, Proposal No. 2000A0287-ND-np, *SPring-8 User Experiment Report No.5* (2000A), 100, 2000.
71. Suzuki, A., E. Ohtani, M. Maeda, J. Sato, H. Terasaki, T. Okada, J. E. Reid, B. T. Poe, and K. Funakoshi, Viscosity of melts in albite-diopside system at high pressure, Proposal No. 2000A0220-ND-np, *SPring-8 User Experiment Report No.5* (2000A), 95, 2000.
72. Funakoshi, K., M. Nakazawa, A. Suzuki, and H. Terasaki, Viscosity of basaltic silicate melt at high pressure, Proposal No. 1999B0177-CD-np, *SPring-8 User Experiment Report No.4* (1998B), 47, 2000.
73. Suzuki, A., E. Ohtani, M. Maeda, J. Sato, H. Terasaki, and K. Funakoshi, Viscosity of melt in

- diopside-jadeite system at high pressure by X-ray radiograph, Proposal No. 1999B0156-ND-np, *SPring-8 User Experiment Report No.4* (1999B), 46, 2000.
74. Terasaki, H., T. Kato, K. Funakoshi, A. Suzuki, T. Okada, and S. Urakawa In situ viscosity measurement of melt in the system of Fe-FeS under high pressure, Proposal No. 1999B0023-ND-np, *SPring-8 User Experiment Report No.4* (1999B), 42, 2000.
 75. Suzuki, A., T. Kubo, E. Ohtani, Y. Kanbe, T. Okada, H. Terasaki, T. Kato and T. Kikegawa, In situ X-ray observation of the phase boundary of β - and γ -Mg₂SiO₄, *Photon Factory Activity Report* 1998, #16, 222, 1999.
 76. Okada, T., T. Kato, H. Terasaki, T. Kubo, A. Suzuki, E. Ohtani and T. Kikegawa, Precise determination of pyroxene-garnet phase equilibrium relations using in situ X-ray observation, *Photon Factory Activity Report* 1998, #16, 216, 1999.
 77. Funakoshi, K., A. Suzuki, H. Terasaki, and M. Kanzaki, Viscosity of basaltic silicate melt at high pressure, Proposal No. 1999A0137-ND-np, *SPring-8 User Experiment Report No. 3* (1999A), 67, 1999.
 78. Kanzaki, M., K. Funakoshi, T. Fujii, A. Yasuda, K. Mibe, A. Suzuki, T. Kato, H. Terasaki, S. Yamashita, and S. Urakawa, In-situ viscosity measurement of NaAlSi₃O₈ (albite) melt at high pressure, Proposal No. 1998A0232-ND-np, *SPring-8 User Experiment Report No.2* (1998A), 78, 1999.